

Additive digital printing at the micron scale

NOTION & SCRONA PARTNERSHIP

Both companies combine Notion's expertise in developing and manufacturing high-end printing systems for functional materials with Scrona's novel multi-nozzle EHD MEMS printheads. The partnership between Notion and Scrona will promote this new technology in various applications such as display, electronics or semiconductor manufacturing. Notion Systems will manufacture and service the n.jet EHD Lab printer, primarily for high-level research and development facilities.

Advantages of High Resolution EHD Printing

Electrohydrodynamic (EHD) printing is a new high resolution printing technology enabling maskless, direct-write, 3D, non-contact, conformal and additive patterning at the micron scale with a variety of ink systems and materials.

The printing resolution exceeds conventional ink-jetting by two to three orders of magnitude, paving the way of additive printing into applications dominated by photolithographic micro-fabrication and enabling completely new devices consisting of micron scale building blocks.

EHD printing is used to replace established subtractive process sequences and reduces waste and energy consumption, which makes electronics production more ecological and more economical at the same time.


THE SCRONA EHD ENGINE

Scrona develops multi-nozzle MEMS printheads with ultra-high printing resolution capabilities better than 1 µm. This R&D tool is targetted to advanced development labs in various fields of micro-fabrication and digital additive manufaturing.


Scrona print engine advantages

- Additive technology that allows submicron resolution from multi nozzle MEMS printheads
- Multimaterial technology, works with ultra-high viscosities
- Delivered with GEN 2 Printheads, designed for future printhead generations

Comparison Between Inkjet & EHD Printing









n.jet EHD


C

Main features

- Substrate size up to 150 mm
- Precision granite base on vibration isolation platform
- FFU with HEPA filter
- Precision better than 1 µm
- Motion system with 7 different motorized axes
- Encoder resolution 10 nm
- Ethercat based unified motion platform control with high resolution triggering and synchronization of motion and printhead actuation
- High resolution top and bottom video microscope units
- Highly integrated substrate chuck with high voltage electrodes, sensing electronics, multi-zone vacuum supply and heating power supply

GEN 2 PRINT HEAD WITH 20 NOZZLES


- 2 inks with 10 digital nozzles each
- Ink recirculation
- Environmental Control System ECS (Ventilation Drying System, Sheath Flow System)
- Resolution 2 µm with silver nano ink
- Print head heating up to 80 °C
- Typical print frequency 10 kHz
- Nozzle pitch 125 µm (adjustable in design)
- Drop volume 0,1 femto liter





APPLICATION RESULTS

PROCESS DEVELOPMENT





Headquarter

Notion Systems GmbH Carl-Benz-Straße 22a 68723 Schwetzingen G E R M A N Y

№ +49 6202 57877-0
№ +49 6202 57877-9

sales@notion-systems.com www.notion-systems.com

SCRONA

Scrona AG Grubenstraße 9 8045 Zürich SWITZERLAND

8045 Zürich info@scrona.com SWITZERLAND www.scrona.com



THE FUTURE OF ADDITIVE MANUFACTURING

